

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

NIWA, M.

Atty. Ref.: 2635-184

Serial No. To be assigned

Group:

Filed: October 9, 2003

Examiner:

For: GAS CONCENTRATION DETECTING APPARATUS

* * * * *

October 9, 2003

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Sir:

INFORMATION DISCLOSURE STATEMENT


As suggested by 37 C.F.R. 1.97, the undersigned attorney brings to the attention of the Patent and Trademark Office the references listed on the attached form PTO-1449, a copy of each of which is enclosed. This is not to be construed as a representation that a search has been made or that no better prior art exists, or that a reference is relevant merely because cited.

The Examiner is requested to initial the attached form PTO-1449 and to return a copy of the initialed document to the undersigned as an indication that the attached references have been considered and made of record.

Respectfully submitted,

NIXON & VANDERHYE P.C.

By:



Larry S. Nixon
Reg. No. 25,640

LSN:ecb

1100 North Glebe Road, 8th Floor

Arlington, VA 22201-4714

Telephone: (703) 816-4000

Facsimile: (703) 816-4100

INFORMATION DISCLOSURE - CITATION

ATTY. DOCKET NO.

2635-184

APPLICANT

NIWA, M.

FILING DATE

October 9, 2003

SERIAL NO.

To be assigned

GROUP

(Use several sheets if necessary)

U.S. PATENT DOCUMENTS

[illegible]

FOREIGN PATENT DOCUMENTS

[illegible]

OTHER DOCUMENTS (including Author, Title, Date, Pertinent pages, etc.)

[illegible]

***Examiner**

Date Considered

Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application.